J. Paleont., 65(6), 1991, pp. 1018–1022
Copyright © 1991, The Paleontological Society
0022-3360/91/0065-1018$03.00

JOURNAL OF PALEONTOLOGY

INDEX OF VOLUME 65

DON C. STEINKER

AUTHOR INDEX

		No.	Page
1.	ADAMCZAK, FRANCISZEK J., Kloedenellids: morphology and relation to non-myodocopide ostracodes	2	255
2.	AGUIRRE-URRETA, M. B., E. B. OLIVERO, AND F. A. MEDINA, A redescription of a Maastrichtian lobster *Holploparia antarctica* Wilckens, 1907 (Crustacea: Decapoda), from Chubut, Argentina	5	795
	ALLMON, WARREN D., see GEARY, DANA H. (36)		
	ANDERSON, MICHAEL M., see NARBONNE, GUY M. (73)		
	ANSTEY, ROBERT L., see PACHUT, JOSEPH F. (77)		
3.	ASH, SIDNEY, A new Jurassic *Phlebopteris* (Plantae, Filicales) from the Wallowa Terrane in the Snake River Canyon, Oregon and Idaho	2	322
4.	AUSICH, WILLIAM I., AND THOMAS W. KAMMER, Late Osagean and Meramecian *Actinocrinites* (Echinodermata: Crinoidea) from the Mississippian stratotype region	3	485
5.	AUSICH, WILLIAM I., AND THOMAS W. KAMMER, Systematic revisions to *Aorocrinus, Dorycrinus, Macrocrinus, Strotocrinus,* and *Uperocrinus*: Mississippian camerate crinoids (Echinodermata) from the stratotype region	6	936
	BAESEMANN, JOHN F., see RITTER, SCOTT M. (84)		
	BARRICK, JAMES E., see OVER, D. JEFFREY (76)		
6.	BASKIN JON A., Early Pliocene horses from late Pleistocene fluvial deposits, Gulf Coastal Plain, south Texas	6	995
7.	BERGMAN, CLAES F., Revision of some Silurian paulinitid scolecodonts from western New York	2	248
8.	BOLTOVSKOY, E., D. B. SCOTT, AND F. S. MEDIOLI, Morphological variations of benthic foraminiferal tests in response to changes in ecological parameters: a review	2	175
9.	BOUCOT, A. J., JOSE HENRIQUE G. DE MELO, EUGENIO V. SANTOS NETO, AND SVEN WOLFF, First *Clarkeia* and *Heterorthella* (Brachiopoda; Lower Silurian) occurrence from the Paraná Basin in eastern Paraguay	3	512
	BOWN, T. M., see GENISE, J. F. (37)		
10.	BREZINSKI, DAVID K., Permian trilobites from the San Andres Formation, New Mexico, and their relationship to species from the Kaibab Formation of Arizona	3	480
11.	BROWN, C. J., AND R. D. HOARE, *Patellilabia laevigata* (Girty) (Mollusca, Gastropoda?) from the Mississippian (Chesterian) of Arkansas	2	341
12.	BROWN, LEWIS M., CARL B. REXROAD, DONALD L. EGGERT, AND ALAN S. HOROWITZ, Conodont paleontology of the Providence Limestone Member of the Dugger Formation (Pennsylvanian, Desmoinesian) in the southern part of the Illinois Basin	6	945
	BROWNE, QUENTIN J., see RIGBY, J. KEITH (83)		
13.	BRUNER, JOHN CLAY, Comments on the genus *Amyzon* (family Catostomidae)	4	678
14.	BRYAN, JONATHAN R., DANIEL L. FREDERICK, DAVID R. SCHWIMMER, AND WILLIAM G. SIESSER, First dinosaur record from Tennessee: a Campanian hadrosaur	4	696
15.	BRYAN, JONATHAN R., AND PAUL F. HUDDLESTUN, Correlation and age of the Bridgeboro Limestone, a coralgal limestone from southwestern Georgia	5	864
16.	BUDD, ANN F., AND KENNETH G. JOHNSON, Size-related evolutionary patterns among species and subgenera in the *Strombina* group (Gastropoda: Columbellidae)	3	417
17.	BUSANUS, J. W., AND R. D. HOARE, Bivalves (Mollusca) from the Mauch Chunk Group (Mississippian, Chesterian) of northern West Virginia and southwestern Pennsylvania	3	465
	BYBEE, PAUL, see CARROLL, ROBERT L. (18)		
	CARROLL, MARK A., see LEWIS, STANDLEY E. (68)		
18.	CARROLL, ROBERT L., PAUL BYBEE, AND WILLIAM D. TIDWELL, The oldest microsaur (Amphibia)	2	314
	CARTER, JOSEPH G., see ROSSBACH, THOMAS J. (86)		
19.	CHAPRONIERE, GEORGE C. H., *Discospirina* (Miliolina, Foraminiferida) from the Coral Sea off northeastern Australia: a new record	2	332
20.	CHURCH, STEPHEN B., A new Lower Ordovician species of *Calathium,* and skeletal structure of western Utah calathids	4	602
	CONRAD, M.-A, see KUSS, J. (62)		
21.	CORNELL, WILLIAM C., DAVID V. LEMONE, AND WILLIAM D. NORLAND, Albian ophiuroids from Cerro de Cristo Rey, Dona Ana County, New Mexico	6	1009
22.	CRONIN, THOMAS M., Late Neogene marine Ostracoda from Tjörnes, Iceland	5	767
	CUFFEY, ROGER J., see PACHUT, JOSEPH F. (77)		
23.	DELAMETTE, M., AND W. J. KENNEDY, Cenomanian ammonites from the condensed deposits of the Helvetic Domain (western Alps, France and Switzerland)	3	435
	DE MELO, JOSE HENRIQUE G., see BOUCOT, A. J. (9)		

J. Paleont., 65(6), 1991, pp. 1018–1022
Copyright © 1991, The Paleontological Society
0022-3360/91/0065-1018$03.00

JOURNAL OF PALEONTOLOGY

INDEX OF VOLUME 65

DON C. STEINKER

AUTHOR INDEX

		No.	Page
1.	ADAMCZAK, FRANCISZEK J., Kloedenellids: morphology and relation to non-myodocopide ostracodes	2	255
2.	AGUIRRE-URRETA, M. B., E. B. OLIVERO, AND F. A. MEDINA, A redescription of a Maastrichtian lobster *Holploparia antarctica* Wilckens, 1907 (Crustacea: Decapoda), from Chubut, Argentina	5	795
	ALLMON, WARREN D., see GEARY, DANA H. (36)		
	ANDERSON, MICHAEL M., see NARBONNE, GUY M. (73)		
	ANSTEY, ROBERT L., see PACHUT, JOSEPH F. (77)		
3.	ASH, SIDNEY, A new Jurassic *Phlebopteris* (Plantae, Filicales) from the Wallowa Terrane in the Snake River Canyon, Oregon and Idaho	2	322
4.	AUSICH, WILLIAM I., AND THOMAS W. KAMMER, Late Osagean and Meramecian *Actinocrinites* (Echinodermata: Crinoidea) from the Mississippian stratotype region	3	485
5.	AUSICH, WILLIAM I., AND THOMAS W. KAMMER, Systematic revisions to *Aorocrinus, Dorycrinus, Macrocrinus, Strotocrinus,* and *Uperocrinus*: Mississippian camerate crinoids (Echinodermata) from the stratotype region	6	936
	BAESEMANN, JOHN F., see RITTER, SCOTT M. (84)		
	BARRICK, JAMES E., see OVER, D. JEFFREY (76)		
6.	BASKIN JON A., Early Pliocene horses from late Pleistocene fluvial deposits, Gulf Coastal Plain, south Texas	6	995
7.	BERGMAN, CLAES F., Revision of some Silurian paulinitid scolecodonts from western New York	2	248
8.	BOLTOVSKOY, E., D. B. SCOTT, AND F. S. MEDIOLI, Morphological variations of benthic foraminiferal tests in response to changes in ecological parameters: a review	2	175
9.	BOUCOT, A. J., JOSE HENRIQUE G. DE MELO, EUGENIO V. SANTOS NETO, AND SVEN WOLFF, First *Clarkeia* and *Heterorthella* (Brachiopoda; Lower Silurian) occurrence from the Paraná Basin in eastern Paraguay	3	512
	BOWN, T. M., see GENISE, J. F. (37)		
10.	BREZINSKI, DAVID K., Permian trilobites from the San Andres Formation, New Mexico, and their relationship to species from the Kaibab Formation of Arizona	3	480
11.	BROWN, C. J., AND R. D. HOARE, *Patellilabia laevigata* (Girty) (Mollusca, Gastropoda?) from the Mississippian (Chesterian) of Arkansas	2	341
12.	BROWN, LEWIS M., CARL B. REXROAD, DONALD L. EGGERT, AND ALAN S. HOROWITZ, Conodont paleontology of the Providence Limestone Member of the Dugger Formation (Pennsylvanian, Desmoinesian) in the southern part of the Illinois Basin	6	945
	BROWNE, QUENTIN J., see RIGBY, J. KEITH (83)		
13.	BRUNER, JOHN CLAY, Comments on the genus *Amyzon* (family Catostomidae)	4	678
14.	BRYAN, JONATHAN R., DANIEL L. FREDERICK, DAVID R. SCHWIMMER, AND WILLIAM G. SIESSER, First dinosaur record from Tennessee: a Campanian hadrosaur	4	696
15.	BRYAN, JONATHAN R., AND PAUL F. HUDDLESTUN, Correlation and age of the Bridgeboro Limestone, a coralgal limestone from southwestern Georgia	5	864
16.	BUDD, ANN F., AND KENNETH G. JOHNSON, Size-related evolutionary patterns among species and subgenera in the *Strombina* group (Gastropoda: Columbellidae)	3	417
17.	BUSANUS, J. W., AND R. D. HOARE, Bivalves (Mollusca) from the Mauch Chunk Group (Mississippian, Chesterian) of northern West Virginia and southwestern Pennsylvania	3	465
	BYBEE, PAUL, see CARROLL, ROBERT L. (18)		
	CARROLL, MARK A., see LEWIS, STANDLEY E. (68)		
18.	CARROLL, ROBERT L., PAUL BYBEE, AND WILLIAM D. TIDWELL, The oldest microsaur (Amphibia)	2	314
	CARTER, JOSEPH G., see ROSSBACH, THOMAS J. (86)		
19.	CHAPRONIERE, GEORGE C. H., *Discospirina* (Miliolina, Foraminiferida) from the Coral Sea off northeastern Australia: a new record	2	332
20.	CHURCH, STEPHEN B., A new Lower Ordovician species of *Calathium,* and skeletal structure of western Utah calathids	4	602
	CONRAD, M.-A, see KUSS, J. (62)		
21.	CORNELL, WILLIAM C., DAVID V. LEMONE, AND WILLIAM D. NORLAND, Albian ophiuroids from Cerro de Cristo Rey, Dona Ana County, New Mexico	6	1009
22.	CRONIN, THOMAS M., Late Neogene marine Ostracoda from Tjörnes, Iceland	5	767
	CUFFEY, ROGER J., see PACHUT, JOSEPH F. (77)		
23.	DELAMETTE, M., AND W. J. KENNEDY, Cenomanian ammonites from the condensed deposits of the Helvetic Domain (western Alps, France and Switzerland)	3	435
	DE MELO, JOSE HENRIQUE G., see BOUCOT, A. J. (9)		

DHONDT, ANNIE V., see FELDMANN, RODNEY M. (31)
DINELEY, DAVID L., see ELLIOTT, DAVID K. (28)
DONOVAN, S. K., see FREEMAN, B. E. (35)
24. DUTRO, J. THOMAS, JR., Correspondence and papers of U.S. Geological Survey paleontologists placed in Smithsonian Archives ... 1 172
25. DUTRO J. THOMAS, JR., AND THOMAS W. HENRY, Fossil invertebrate collections moved from National Museum ... 1 171
26. EDGECOMBE, GREGORY D., The Silurian dalmanitid trilobite *Gyptambon* Holloway: new species from Tennessee and Illinois ... 2 294
EDGECOMBE, GREGORY D., see LIEBERMAN, BRUCE S. (69)
EGGERT, DONALD L., see BROWN, LEWIS M. (12)
27. ELDER, WILLIAM P., *Mytiloides hattini* n. sp.: a guide fossil for the base of the Turonian in the Western Interior of North America ... 2 234
ELDREDGE, NILES, see LIEBERMAN, BRUCE S. (69)
ELIAS, ROGBERT J., see LEE, DONG-JIN (66)
28. ELLIOTT, DAVID, AND DAVID L. DINELEY, Additional information on *Alainaspis* and *Boothiaspis*, cyathaspidids (Agnatha: Heterostraci) from the Upper Silurian of Northwest Territories, Canada ... 2 308
29. EMILIANI, CESARE, Planktic/planktonic, nektic/nektonic, benthic/benthonic ... 2 329
EMRY, ROBERT J., see KORTH, WILLIAM W. (61)
30. FAN, JIASONG, J. KEITH RIGBY, AND ZHANG WEI, "Hydrozoa" from Middle and Upper Permian reefs of South China ... 1 45
31. FELDMANN, RODNEY M., AND ANNIE V. DHONDT, The Van Straelen Decapod Collection, Institut Royal des Sciences Naturelles de Belgique, Bruxelles ... 3 514
32. FELDMANN, RODNEY M., AND WILLIAM MAY, Remarkable crayfish remains (Decapoda: Cambaridae) from Oklahoma—evidence of predation ... 5 884
33. FORSTEN, ANN, Size trends in Holarctic anchitherines (Mammalia, Equidae) ... 1 147
34. FOX, RICHARD C., Systematic position of *Pronothodectes gaoi* Fox from the Paleocene of Alberta: reply ... 4 700
FREDERICK, DANIEL L., see BRYAN, JONATHAN R. (14)
35. FREEMAN, B. E., AND S. K. DONOVAN, A reassessment of the ichnofossil *Chubutolithes gaimanensis* Bown and Ratcliffe ... 4 702
FREST, TERRENCE J., see KOLATA, DENNIS R. (60)
36. GEARY, DANA H., WARREN D. ALLMON, AND MARJORIE L. REAKA-KUDLA, Stomatopod predation on fossil gastropods from the Plio-Pleistocene of Florida ... 3 355
37. GENISE, J. F., AND T. M. BOWN, A reassessment of the ichnofossil *Chubutolithes gaimanensis* Bown and Ratcliff: reply ... 4 705
GERMS, G. J. B., see GRANT, S. W. F. (42)
38. GINGERICH, PHILIP D., Systematic position of *Pronothodectes gaoi* Fox from the Paleocene of Alberta ... 4 699
39. GIVENS, CHARLES R., Old World Tethyan occurrences of *Lyrischapa* (Gastropoda; Volutidae) and biogeographic implications ... 4 661
GOEDERT, JAMES L., see SQUIRES, RICHARD L. (91)
40. GOLDMAN, DANIEL, AND C. E. MITCHELL, Revision of *Diplograptus* (*Amplexograptus*) *recurrens richmondensis* Ruedemann ... 6 1016
41. GRANDE, LANCE, Transferred type specimens of well-preserved Eocene fishes from the Green River Formation ... 5 889
42. GRANT, S. W. F., A. H. KNOLL, AND G. J. B. GERMS, Probable calcified metaphytes in the latest Proterozoic Nama Group, Namibia: origin, diagenesis, and implications ... 1 1
43. GRIFFIN, MIGUEL, Eocene bivalves from the Río Turbio Formation, southwestern Patagonia (Argentina) ... 1 119
GRIMSON, MARK, see OVER, D. JEFFREY (76)
44. GUENSBURG, THOMAS E., The stem and holdfast of *Amygdalocystites florealis* Billings, 1854 (Paracrinoidea): lifestyle implications ... 4 693
45. GUTSCHICK, RAYMOND C., AND JOAQUIN RODRIQUEZ, Comment on: "medusoid" salt pseudomorphs ... 2 331
46. HAGEMAN, STEVEN J., Approaches to systematic and evolutionary studies of perplexing groups: an example using fenestrate Bryozoa ... 4 630
47. HAGEMAN, STEVEN J., *Worthenopora*: an unusual cryptostome (Bryozoa) that looks like a cheilostome ... 4 648
HALICZ, ELWIRA, see HOTTINGER, LUKAS (54)
48. HALL, RUSSELL L., *Seirocrinus subangularis* (Miller, 1821), a Pliensbachian (Lower Jurassic) crinoid from the Fernie Formation, Alberta, Canada ... 2 300
HENDERSON, R. A., see KENNEDY, W. J. (56)
HENRY, THOMAS W., see DUTRO, J. THOMAS, JR. (25)
49. HERMELIN, J. OTTO R., *Pleurostomella concava*: a new benthic foraminifer in Oligocene and Miocene sediments from the Pacific and Indian Oceans ... 4 595
50. HIRT, DAVID S., Mississippian brachiopod biostratigraphy and the Osagean–Meramecian boundary in south-central Indiana ... 6 912
51. HOARE, R. D., Ontogeny and variation in *Glyptopleura costata* (McCoy) (Ostracoda: Mississippian, Chesterian) from Ohio ... 5 760
52. HOARE, R. D., Relocation of type specimens from the Department of Geology, Bowling Green State University ... 5 887
HOARE, R. D., see BROWN, C. J. (11)
HOARE, R. D., see BUSANUS, J. W. (17)

53. HOFMANN, H. J., AND G. D. JACKSON, Shelf-facies microfossils from the Uluksan Group (Proterozoic Bylot Supergroup), Baffin Island, Canada 3 361
HOROWITZ, ALAN S., see BROWN, LEWIS M. (12)
54. HOTTINGER, LUKAS, ELWIRA HALICZ, AND ZEEV REISS, The foraminiferal genera *Pararotalia, Neorotalia,* and *Calcarina*: taxonomic revision 1 18
HUDDLESTUN, PAUL F., see BRYAN, JONATHAN R. (15)
HUDSON, NEVILLE, see WESTERMANN, GERD E. G. (102)
JACKSON, G. D., see HOFFMAN, H. J. (53)
JACOBS, LOUIS L., see MURRY, PHILLIP A. (72)
JOHNSON, KENNETH G., see BUDD, ANN F. (16)
KAMMER, THOMAS W., see AUSICH, WILLIAM I. (4)
KAMMER, THOMAS W., see AUSICH, WILLIAM I. (5)
55. KELLEY, PATRICIA H., Apparent cannibalism by Chesapeake Group naticid gastropods: a predictable result of selective predation 1 75
KENNEDY, D. J., see TAYLOR, J. F. (96)
56. KENNEDY, W. J., AND R. A. HENDERSON, Revision of *Ammonites gaudama* Forbes, 1846 (Cretaceous Ammonoidea) 5 891
KENNEDY, W. J., see DELAMETTE, M. (23)
57. KEY, MARCUS M., JR., The halloporid trepostome bryozoans from the Ordovician Simpson Group of Oklahoma 2 200
58. KLEFFNER, MARK A., Conodont biostratigraphy of the upper part of the Clinton Group and the Lockport Group (Silurian) in the Niagara Gorge region, New York and Ontario 3 500
59. KNOLL, A. H., K. SWETT, AND J. MARK, Paleobiology of a Neoproterozoic tidal flat/lagoonal complex: the Draken Conglomerate Formation, Spitsbergen 4 531
KNOLL, A. H., see GRANT, S. W. F. (42)
60. KOLATA, DENNIS R., TERRENCE J. FREST, AND ROYAL H. MAPES, The youngest carpoid: occurrence, affinities, and life mode of a Pennsylvanian (Morrowan) mitrate from Oklahoma 5 844
61. KORTH, WILLIAM W., AND ROBERT J. EMRY, The skull of *Cedromus* and a review of the Cedromurinae (Rodentia, Sciuridae) 6 984
62. KUSS, J., AND M.-A. CONRAD, Calcareous algae from Cretaceous carbonates of Egypt, Sinai, and southern Jordan 5 869
63. LANDING, ED, Upper Precambrian through Lower Cambrian of Cape Breton Island: faunas, paleoenvironments, and stratigraphic revision 4 570
64. LANDING, ED, AND J. BRENDAN MURPHY, Uppermost Precambrian(?)–Lower Cambrian of mainland Nova Scotia: faunas, depositional environments, and stratigraphic revision 3 382
LANDING, ED, see NARBONNE, GUY M. (73)
65. LAWRENCE, DAVID R., The neotype of *Crassostrea gigantissima* (Finch, 1824) 2 342
66. LEE, DONG-JIN, AND ROBERT J. ELIAS, Mode of growth and life-history strategies of a Late Ordovician halysitid coral 2 191
LEE, DONG-JIN, see NOBLE, JAMES P. A. (75)
LEE, DONG-JIN, see YOUNG, GRAHAM A. (108)
LEMONE, DAVID V., see CORNELL, WILLIAM C. (21)
67. LESPÉRANCE, PIERRE J., Vincular furrows in some Early Silurian and Devonian Phacopidae (Trilobita), predominantly from North America 2 276
68. LEWIS, STANDLEY E., AND MARK A. CARROLL, Coleopterous egg deposition on alder leaves from the Klondike Mountain Formation (Middle Eocene), northeastern Washington 2 334
69. LIEBERMAN, BRUCE S., GREGORY D. EDGECOMBE, AND NILES ELDREDGE, Systematics and biogeography of the "*Malvinella* group," Calmoniidae (Trilobita, Devonian) 5 824
LOMBARD, R. ERIC, see SUMIDA, STUART S. (95)
MAHER, BRIAN J., see RIGBY, J. KEITH (83)
MAPES, ROYAL H., see KOLATA, DENNIS R. (60)
70. MARINCOVICH, LOUIE, JR., AND WILLIAM J. ZINSMEISTER, The first Tertiary (Paleocene) marine mollusks from the Eureka Sound Group, Ellesmere Island, Canada 2 242
MARK, J., see KNOLL, A. H. (59)
71. MARTINO, RONALD L., *Limnopus* trackways from the Conemaugh Group (Late Pennsylvanian), southern West Virginia 6 957
MAY, WILLIAM, see FELDMANN, RODNEY M. (32)
MCKILLOP, W. BRIAN, see PATTERSON, R. TIMOTHY (79)
MEDINA, F. A., see AGUIRRE-URRETA, M. B. (2)
MEDIOLI, F. S., see BOLTOVSKOY, E. (8)
MILLER, J. F., see TAYLOR, J. F. (96)
MITCHELL, C. E., see GOLDMAN, D. (40)
MURPHY, J. BRENDAN, see LANDING, ED (64)
72. MURRY, PHILLIP A., DALE A. WINKLER, AND LOUIS L. JACOBS, An azhdarchid pterosaur humerus from the Lower Cretaceous Glen Rose Formation of Texas 1 167
MYROW, PAUL, see NARBONNE, GUY M. (73)
73. NARBONNE, GUY M., PAUL MYROW, ED LANDING, AND MICHAEL M. ANDERSON, A chondrophorine (medusoid hydrozoan) from the basal Cambrian (Placentian) of Newfoundland 2 186

74. NIKO, SHUJI, *Plicatoceras,* a new lamellorthoceratid cephalopod genus from the Gedinnian (Early Devonian) of central Japan 6 917
75. NOBLE, JAMES P. A., AND DONG-JIN LEE, First report of allogeneic fusion and allorecognition in tabulate corals 1 69
NOBLE, JAMES P. A., see YOUNG, GRAHAM A. (108)
NORLAND, WILLIAM D., see CORNELL, WILLIAM C. (21)
OLIVERO, E. B., see AGUIRRE-URRETA, M. B. (2)
76. OVER, D. JEFFREY, MARK GRIMSON, AND JAMES E. BARRICK, Scanning electron microscope inverse imaging technique for positive image photomicrographs of microfossil molds 6 1013
77. PACHUT, JOSEPH F., ROGER J. CUFFEY, AND ROBERT L. ANSTEY, The concepts of astogeny and ontogeny in stenolaemate bryozoans, and their illustration in colonies of *Tabulipora carbonaria* from the Lower Permian of Kansas 2 213
78. PASTORINO, GUIDO, The genus *Chama* Linné (Bivalvia) in the marine Quaternary of northern Patagonia, Argentina 5 756
79. PATTERSON, R. TIMOTHY, AND W. BRIAN MCKILLOP, Distribution and possible paleoecological significance of *Annectina viriosa,* a new species of agglutinated foraminifera from nonmarine salt ponds in Manitoba 1 33
PERREAULT, RAY T., see ZULLO, VICTOR A. (109)
80. POJETA, JOHN, JR., Visions for paleontology 3 347
PORTELL, ROGER W., see ZULLO, VICTOR A. (110)
81. POTTER, A. W., Discussion of the systematic placement of the Ordovician brachiopod genera *Cooperea* and *Craspedelia* by Cocks and Rong (1989) 5 742
REAKA-KUDLA, MARJORIE L., see GEARY, DANA H. (36)
REPETSKI, J. E., see TAYLOR, J. F. (96)
REXROAD, CARL B., see BROWN, LEWIS M. (12)
82. RIGBY, J. KEITH, The new Devonian (Givetian) heteractinid sponge *Gondekia* from Ontario, Canada, and evolution of the astraeospongiids and eiffeliids 1 38
83. RIGBY, J. KEITH, BRIAN J. MAHER, AND QUENTIN J. BROWNE, New hexactinellids from the Siluro-Devonian of the Snake Mountains, Elko County, Nevada, and a new locality for *Gabelia* 5 709
RIGBY, J. KEITH, see FAN, JIASONG (30)
RIGBY, J. KEITH, see SENOWBARI-DARYAN, BABA (89)
84. RITTER, SCOTT M., AND JOHN F. BAESEMANN, Early Permian conodont assemblages from the Wolfcamp Shale, Midland Basin, West Texas 4 670
RODRIGUEZ, JOAQUIN, see GUTSCHICK, RAYMOND C. (45)
85. ROHR, DAVID M., Borings in the shell of an Ordovician (Whiterockian) gastropod 4 687
86. ROSSBACH, THOMAS J., AND JOSEPH G. CARTER, Molluscan biostratigraphy of the lower River Bend Formation at the Martin Marietta Quarry, New Bern, North Carolina 1 80
87. SANDY, MICHAEL R., Cretaceous brachiopods from James Ross Island, Antarctic Peninsula, and their paleobiogeographic affinities 3 396
SANTOS NETO, EUGENIO V., see BOUCOT, A. J. (9)
SCHWIMMER, DAVID R., see BRYAN, JONATHAN R. (14)
SCOTT, D. B., see BOLTOVSKOY, E. (8)
88. SEILACHER, A., "Medusoid" salt pseudomorphs 2 330
89. SENOWBARI-DARYAN, BABA, AND J. KEITH RIGBY, Three additional thalamid sponges from the Upper Permian reefs of Djebel Tebaga (Tunisia) 4 623
SIESSER, WILLIAM G., see BRYAN, JONATHAN R. (14)
90. SHAW, FREDERICK C., Viola Group (Ordovician, Oklahoma) cryptolithinid trilobites: biogeography and taxonomy 6 919
91. SQUIRES, RICHARD L., AND JAMES L. GOEDERT, New Late Eocene mollusks from localized limestone deposits formed by subduction-related methane seeps, southwestern Washington 3 412
92. STEARN, COLIN W., A revision of *Anostylostroma, Atelodictyon,* and related genera (Paleozoic Stromatoporoidea) 4 611
93. STIDD, BENTON M., *Saharatheca lobata* n. gen. and sp.: new medullosan (seed fern) pollen organ from the Middle Pennsylvanian of Illinois 1 160
94. STOCK, CARL W., Lower Devonian (Lochkovian) Stromatoporoidea from the Manlius Formation of New York 6 897
95. SUMIDA, STUART S., AND R. ERIC LOMBARD, The atlas–axis complex in the late Paleozoic genus *Diadectes* and the characteristics of the atlas–axis complex across the amphibian to amniote transition 6 973
SWETT, K., see KNOLL A. H. (59)
96. TAYLOR, J. F., D. J. KENNEDY, J. F. MILLER, AND J. E. REPETSKI, Uppermost Cambrian slope deposits at Highgate Gorge, Vermont: a minor miscorrelation with major consequences for conodont- and trilobite-based chronocorrelation 5 855
TIDWELL, WILLIAM D., see CARROLL, ROBERT L. (18)
97. TORRES, ANDREW M., Using the term alga 5 882
98. TREMBLAY, JAMES V., AND STEPHEN R. WESTROP, Middle Ordovician (Whiterockian) trilobites from the Sunblood Formation, District of Mackenzie, Canada 5 801
99. VAN ITEN, HEYO, Repositories of and additional comments on Permian sponge specimens containing molds of *Paraconularia* 2 335
100. WEBSTER, GARY D., An evaluation of the V. J. Gupta echinoderm papers, 1971–1989 ..... 6 1006

101. WEBSTER, GARY D., Transfer of trilobite, coral, and fusulinid types 6 1015
102. WESTERMANN, GERD E. G., AND NEVILLE HUDSON, The first find of Eurycephalitinae (Jurassic Ammonitina) in New Zealand and its biogeographic implications 4 689
WESTROP, STEPHEN R., see TREMBLAY, JAMES V. (98)
103. WILSON, EDWARD C., Permian corals from the Spring Mountains, Nevada 5 727
WINKLER, DALE A., see MURRY, PHILLIP A. (72)
104. WOLBERG, DONALD L., Fourth notice of transfer of specimens figured by Rousseau H. Flower 2 337
105. WOLBERG, DONALD L., Fifth notice of transfer of specimens figured by Rousseau H. Flower 2 338
106. WOLBERG, DONALD L., Sixth notice of transfer of specimens figured by Rousseau H. Flower 2 339
107. WOLBERG, DONALD L., Notice of transfer of fossils from the New Mexico Bureau of Mines Rousseau H. Flower collections 4 698
WOLFF, SVEN, see BOUCOT, A. J. (9)
108. YOUNG, GRAHAM A., DONG-JIN LEE, AND JAMES P. A. NOBLE, Halysitid and auloporid tabulate corals from the Gascons and West Point Formations (Silurian), Gaspé, Québec, Canada 5 715
ZHANG, WEI, see FAN, JIASONG (30)
ZINSMEISTER, WILLIAM J., see MARINCOVICH, LOUIE, JR. (70)
109. ZULLO, VICTOR A., AND RAY T. PERREAULT, *Arcoscalpellum toulmini* Weisbord and *Zeugmatolepas* sp. (Cirripedia, Thoracica) from the lower Paleocene of Alabama 2 267
110. ZULLO, VICTOR A., AND ROGER W. PORTELL, A new species of *Eoceratoconcha* Newman and Ladd, 1974 (Cirripedia, Archaeobalanidae) from the Pliocene of Florida 2 271

J. Paleont., 65(6), 1991, pp. 1023–1025
Copyright © 1991, The Paleontological Society
0022-3360/91/0065-1023$03.00

SUBJECT INDEX

Acritarchs: Proterozoic, Spitsbergen (59)
Actinocrinites probolos n. sp., Crinoidea (4)
Agnatha: Silurian, Canada (28)
Alabama: Cirripedia, Paleocene (109)
Alaska: Brachiopoda, Ordovician (81)
Alga: Cretaceous, Egypt, Sinai, Jordan (62); Proterozoic, South Africa (42); terminology (97)
Ammonoidea: Cretaceous, France and Switzerland (23); India (56); Jurassic, New Zealand (102)
Amphibia: Carboniferous, Utah (18)
Annectina viriosa n. sp., Foraminiferida (79)
Antarctica: Brachiopoda, Cretaceous (87)
Anthozoa: Ordovician, Canada (66); Permian, Nevada (103); Silurian, Canada (75) (108)
Argentina: Bivalvia, Eocene (43), Quaternary (78); Decapoda, Cretaceous (2); Ichnofossil, Paleogene (35) (37)
Arkansas: Gastropoda, Mississippian (11)
Atrina rioturbiensis n. sp., Bivalvia (43)
Australia: Foraminiferida, Recent (19)
Balatonia robusta n. sp., Hydrozoa (30)
Bathyurus mackenziensis n. sp., Trilobita (98)
Bathyurus margareti n. sp., Trilobita (98)
Bathyurus sunbloodensis n. sp., Trilobita (98)
Bensonocythere eirikssoni n. sp., Ostracoda (22)
Bimuria gilbertella n. sp., Brachiopoda (81)
Biostratigraphy: Cambrian, Vermont (96); Cretaceous, Western Interior (27); Mississippian, Indiana (50); Neogene, Iceland (22); Oligocene, Georgia (15), North Carolina (86); Ordovician, Canada (98); Precambrian–Cambrian, Canada (64); Silurian, New York and Canada (58)
Bivalvia: Cretaceous, Western Interior (27); Eocene, Argentina (43), Washington (91); Mississippian, West Virginia and Pennsylvania (17); Neotype (65); Oligocene, North Carolina (86); Paleocene, Canada (70); Quaternary, Argentina (78)
Brachiopoda: Cretaceous, Antarctica (87); Mississippian, Indiana (50); Ordovician, Alaska and California (81); Silurian, Paraguay (9)
Bryozoa: Mississippian, Illinois Basin (47), Mississippi Valley (46); Morphometric analysis (46); Ordovician, Oklahoma (57); Permian, Kansas (77)
Calathium yersini n. sp., Receptaculitidae (20)
California: Brachiopoda, Ordovician (81)
Calyptogena chinookensis n. sp., Bivalvia (91)
Cambrian: Biostratigraphy, Canada (63), Vermont (96); Hydrozoa, Canada (73)
Canada: Agnatha, Silurian (28); Anthozoa, Ordovician (66), Silurian (108); Biostratigraphy, Precambrian–Cambrian (63) (64); Conodonta, Silurian (58); Crinoidea, Jurassic (48); Foraminiferida, Recent (79); Hydrozoa, Cambrian (73); Microfossils, Proterozoic (53); Mollusca, Paleocene (70); Paracrinoidea, Ordovician (44); Plesiadapidae, Paleocene (34) (38); Porifera, Devonian (82); Trilobita, Ordovician (98)
Carboniferous: Amphibia, Utah (18)
Caribbean: Gastropoda, Neogene (19)
Cedromurinae n. subfam., Rodentia (61)
Cedromus wilsoni n. sp., Rodentia (61)
Cephalopoda: Devonian, Japan (74)
Chama iudicai n. sp., Bivalvia (78)
China: Hydrozoa, Permian (30)
Cirripedia: Paleocene, Alabama (109); Pliocene, Florida (110)
Coniunctiophycus majorinum n. sp., Acritarch (59)
Conodonta: Cambrian, Vermont (96); Pennsylvanian, Illinois Basin (12); Permian, Texas (84); Silurian, New York and Canada (58)
Conulariida: Permian, Texas (99)
Craspedella intonsa n. sp., Brachiopoda (81)
Crassatella brandmayri n. sp., Bivalvia (43)
Cretaceous: Alga, Egypt, Sinai, Jordan (62); Ammonoidea, France and Switzerland (23), India (56); Bivalvia, Western Interior (27); Brachiopoda, Antarctica (87); Decapoda, Argentina (2); Dinosauria, Tennessee (14); Ophiuroidea, New Mexico (21); Pterosauria, Texas (72)
Crinoidea: Jurassic, Canada (48); Mississippian, Illinois, Iowa, Missouri (4) (5)
Crustacea: Plio-Pleistocene, Florida (36)
Cyanobacteria: Proterozoic, Spitsbergen (59)
Cymatium planinodum n. sp., Gastropoda (86)
Cytheromorpha einarssoni n. sp., Ostracoda (22)
Decapoda: Cretaceous, Argentina (2); Quaternary, Oklahoma (32)
Devonian: Cephalopoda, Japan (74); Hydrozoa, Montana (45) (88); Porifera, Canada (82); Stromatoporoidea, New York (94); Trilobita, North America (67), South America (69)
Dinosauria: Cretaceous, Tennessee (14)
Diplognathodus indianaensis n. sp., Conodonta (12)
Diplotrypa schindeli n. sp., Bryozoa (57)
Disjectopora beipeiensis n. sp., Hydrozoa (30)
Disjectopora irregulara n. sp., Hydrozoa (30)
Echinodermata: General (100)
Ecphora wheeleri n. sp., Gastropoda (86)
Egypt: Alga, Cretaceous (62)
Electroma patagonica n. sp., Bivalvia (43)
Eocene: Bivalvia, Argentina (43); Insecta, Washington (68); Mollusca, Washington (91)
Equidae: Pliocene, Texas (6)
Evolution: Anthozoa, Ordovician (66); Bryozoa, Ordovician (57), Permian (77); Equidae, Miocene (33); Gastropoda, Neogene (16); Ostracoda (1)
Filcales: Jurassic, Oregon and Idaho (3)
Florida: Cirripedia, Pliocene (110); Crustacea, Plio-Pleistocene (36)
Fomichevella nevadensis n. sp., Anthozoa (103)
Fomichevella waltersi n. sp., Anthozoa (103)
Foraminiferida: Ecology (8); Oligocene and Miocene, Pacific and Indian Oceans (49); Recent, Australia (19), Canada (79); Taxonomic revision (54)
France: Ammonoidea, Cretaceous (23)
Gabelia fascicula n. sp., Porifera (83)
Gabelia giganta n. sp., Porifera (83)
Galeodaria britti n. sp., Gastropoda (86)
Gastropoda: Eocene, Washington (91); Miocene, Maryland (55); Mississippian, Arkansas (11); Neogene, Caribbean (16); Oligocene, North Carolina (86); Ordovician, Nevada (85); Paleocene, Canada (70); Paleogene, Tethys (39)
Georgia: Biostratigraphy, Oligocene (15)
Glyptambon amsdeni n. sp., Trilobita (26)
Glyptambon gassi n. sp., Trilobita (26)
Gondekia n. gen., Porifera (82)
Gondekia hastula n. sp., Porifera (82)
Graptolithina: Ordovician, Ohio (40)
Halkieria fordi n. sp., Incertae sedis (63)
Hemicythere rekaensis n. sp., Ostracoda (22)
Holarctic: Equidae, Miocene (33)
Homalozoa: Pennsylvanian, Oklahoma (60)
Hydrozoa: Cambrian, Canada (73); Devonian, Montana (45) (88); Permian, China (30)
Iceland: Ostracoda, Neogene (22)
Ichnofossils: Incertae sedis, Ordovician (85); Insecta, Paleogene (35) (37); Tetrapoda, Pennsylvanian (71)
Idaho: Ficales, Jurassic (3)

Illinois: Crinoidea, Mississippian (4); Pteridospermopsida, Pennsylvanian (93); Trilobita, Silurian (26)
Illinois Basin: Bryozoa, Mississippian (47); Conodonta, Pennsylvanian (12)
India: Ammonoidea, Cretaceous (56)
Indiana: Brachiopoda, Mississippian (50)
Insecta: Eocene, Washington (68); Paleogene, Argentina (35) (37)
Intexodictyon manliusense n. sp., Stromatoporoidea (94)
Iowa: Crinoidea, Mississippian (4) (5)
Jaekelocarpus n. gen., Homalozoa (60)
Jaekelocarpus oklahomensis n. sp., Homalozoa (60)
Japan: Cephalopoda, Devonian (74)
Jordan: Alga, Cretaceous (62)
Jurassic: Ammonoidea, New Zealand (102); Crinoidea, Canada (48); Filcales, Oregon and Idaho (3)
Kansas: Bryozoa, Permian (77)
Leptocythere tjornesensis n. sp., Ostracoda (22)
Lichuanopora n. gen., Hydrozoa (30)
Lichuanopora bancaoensis n. sp., Hydrozoa (30)
Lichuanopora? regulara n. sp., Hydrozoa (30)
Limipecten greerensis n. sp., Bivalvia (17)
Limnopus glenshawensis n. sp., Tetrapoda (71)
Lucina (*Stewartia*) *microaulax* n. sp., Bivalvia (86)
Ludvigsinella n. gen., Trilobita (98)
Ludvigsinella ellipsepyga n. sp., Trilobita (98)
Lyria (*Lyria*) *concinna* n. sp., Gastropoda (86)
Malvinella buddeae n. sp., Trilobita (69)
Mammalia: Miocene, Holarctic (33); Paleocene, Canada (34) (38)
Margarites (*Pupillaria*) *columbiana* n. sp., Gastropoda (91)
Maryland: Gastropoda, Miocene (55)
Mccloudius parvus n. sp., Anthozoa (103)
Microfossils: Proterozoic, Canada (53)
Miocene: Equidae, Holarctic (33); Gastropoda, Maryland (55)
Miscellaneous: Correspondence and papers (24); Gupta echinoderm papers (100); Transfer of specimens (25) (41) (52) (101) (104–107); Van Straelen Decapod Collection (31)
Mississippian: Bivalvia, West Virginia and Pennsylvania (17); Brachiopoda, Indiana (50); Bryozoa, Illinois Basin (47), Mississippi Valley (46); Crinoidea, Illinois, Iowa, Missouri (4) (5); Gastropoda, Arkansas (11); Ostracoda, Ohio (51)
Mississippi Valley: Bryozoa, Mississippian (46)
Missouri: Crinoidea, Mississippian (4) (5)
Modiolus (*Modiolus*) *willapaensis* n. sp., Bivalvia (91)
Mollusca: Eocene, Washington (91); Oligocene, North Carolina (86); Paleocene, Canada (70)
Montana: Hydrozoa, Devonian (45) (88)
Morphometric analysis: Bryozoa, Mississippian (46)
Mytiloides hattini n. sp., Bivalvia (27)
Myxococcoides chlorelloidea n. sp., Acritarch (59)
Nebraska: Rodentia, Nebraska and Wyoming (61)
Neogene: Gastropoda, Caribbean (16); Ostracoda, Iceland (22)
Nevada: Anthozoa, Permian (103); Ichnology, Ordovician (85); Porifera, Siluro-Devonian (83)
New Mexico: Ophiuroidea, Cretaceous (21); Trilobita, Permian (10)
New York: Conodonta, Silurian (58); Polychaeta, Silurian (7); Stromatoporoidea, Devonian (94)
New Zealand: Ammonoidea, Jurassic (102)
North America: Trilobita, Silurian and Devonian (67)
North Carolina: Mollusca, Oligocene (86)
Novoameura n. gen., Trilobita (10)
Nucula (*Leionucula*) *guillermensis* n. sp., Bivalvia (43)
Ohio: Graptolithina, Ordovician (40); Ostracoda, Mississippian (51)
Oklahoma: Bryozoa, Ordovician (57); Decapoda, Quaternary (32); Homalozoa, Pennsylvanian (60); Trilobita, Ordovician (90)
Oligocene: Biostratigraphy, Georgia (15); Mollusca, North Carolina (86); Rodentia, Nebraska and Wyoming (61)
Oocorys vadosus n. sp., Gastropoda (86)
Ophiuroidea: Cretaceous, New Mexico (21)
aff. *Ophiura straini* n. sp., Ophiuroidea (21)
Ordovician: Anthozoa, Canada (66); Brachiopoda, Alaska and California (81); Bryozoa, Oklahoma (57); Graptolithina, Ohio (40); Ichnology, Nevada (85); Paracrinoidea, Canada (44); Receptaculitidae, Utah (20); Trilobita, Canada (98), Oklahoma (90)
Oregon: Filcales, Jurassic (3)
Ostracoda: Mississippian, Ohio (51); Morphology (1); Neogene, Iceland (22)
Paleobiogeography: Ammonoidea, Jurassic (102); Anthozoa, Permian (103); Brachiopoda, Cretaceous (87), Silurian (9); Gastropoda, Paleogene (39); Mollusca, Oligocene (86); Ostracoda, Neogene (22); Trilobita, Devonian (69), Ordovician (90)
Paleocene: Cirripedia, Alabama (109); Mollusca, Canada (70); Plesiadapidae, Canada (34) (38)
Paleoclimatology: Ostracoda, Neogene (22)
Paleoecology: Anthozoa, Permian (103), Silurian (75); Bivalvia, Cretaceous (27), Quaternary (78); Brachiopoda, Silurian (9); Cirripedia, Paleocene (109); Crustacea, Plio-Pleistocene (36); Decapoda, Quaternary (32); Foraminiferida, Recent (8) (79); Gastropoda, Miocene (55); Mollusca, Oligocene (86); Paracrinoidea, Ordovician (44)
Paleoenvironment: Anthozoa, Silurian (108); Microfossils, Proterozoic (59); Proterozoic-Cambrian, Canada (63)
Paleogene: Gastropoda, Tethys (39); Ichnofossil, Argentina (35) (37); Pisces, North America (13)
Paleontology: General (80)
Palpebrops n. gen., Trilobita (69)
Palpebrops donegalensis n. sp., Trilobita (69)
Paracrinoidea: Ordovician, Canada (44)
Paraguay: Brachiopoda, Silurian (9)
Paraheritschioides richi n. sp., Anthozoa (103)
Pennsylvania: Bivalvia, Mississippian (17)
Pennsylvanian: Conodonta, Illinois Basin (12); Homalozoa, Oklahoma (60); Pteridospermopsida, Illinois (93)
Periploma (*Aelga*) *primaverensis* n. sp., Bivalvia (43)
Permian: Anthozoa, Nevada (103); Bryozoa, Kansas (77); Conodonta, Texas (84); Conularida, Texas (99); Hydrozoa, China (30); Porifera, Texas (99), Tunesia (89); Tetrapoda, Texas (95); Trilobita, New Mexico (10)
Petrostroma n. gen., Stromatoporoidea (92)
Phacops cristata vitrea n. subsp., Trilobita (67)
Phalium newbernensis n. sp., Gastropoda (86)
Phlebopteris tracyi n. sp., Filcales (3)
Pholadidea frenguellii n. sp., Bivalvia (43)
Pisces: Paleogene, North America (13)
Plantae: Jurassic, Oregon and Idaho (3); Pennsylvanian, Illinois (93); Proterozoic, South Africa (42)
Pleistocene: Crustacea, Florida (36)
Plesiadapidae: Paleocene, Canada (34) (38)
Plesiomalvinella n. gen., Trilobita (69)
Pleurostomella concava n. sp., Foraminiferida (49)
Plicatoceras n. gen., Cephalopoda (74)
Plicatoceras nishidai n. sp., Cephalopoda (74)
Pliocene: Cirripedia, Florida (110); Crustacea, Florida (36); Equidae, Texas (6)
Polychaeta: Silurian, New York (7)
Porifera: Devonian, Canada (82); Permian, Texas (99), Tunesia (89); Siluro–Devonian, Nevada (83)
Praturlonella jordanica n. sp., Alga (62)
Proterozoic: Alga, South Africa (42); Biostratigraphy, Canada (63); Microfossils, Canada (5), Spitsbergen (59)
Prothyris (*Prothyris*) *acuticarinata* n. sp., Bivalvia (17)
Pseudopalaeoaplysina n. gen., Hydrozoa (30)

Pseudopalaeoaplysina major n. sp., Hydrozoa (30)
Pseudopalaeoaplysina sinensis n. sp., Hydrozoa (30)
Pterosauria: Cretaceous, Texas (72)
Quaternary: Bivalvia, Argentina (78); Decapoda, Oklahoma (32)
Radiotrabeculopora n. gen., Hydrozoa (30)
Radiotrabeculopora astrorhiza n. sp., Hydrozoa (30)
Radiotrabeculopora elegans n. sp., Hydrozoa (30)
Radiotrabeculopora maokoui n. sp., Hydrozoa (30)
Radiotrabeculopora reticulata n. sp., Hydrozoa (30)
Radiotrabeculopora xiangboensis n. sp., Hydrozoa (30)
Recent: Foraminiferida, Australia (19), Canada (79), Pacific and Indian Oceans (49)
Receptaculitidae: Ordovician, Utah (20)
Rectithyris whiskyi n. sp., Brachiopoda (87)
Reefs: Permian, China (30)
Robertsonites williamsi n. sp., Ostracoda (22)
Rodentia: Oligocene, Nebraska and Wyoming (61)
"*Rushtonites*" *asiatica* n. sp., Incertae sedis (63)
Saharatheca n. gen., Pteridospermopsida (93)
Saharatheca lobata n. sp., Pteridospermopsidae (93)
Samsanoffoclavus n. gen., Incertae sedis (63)
Samsanoffoclavus matthewi n. sp., Incertae sedis (63)
Scaphella saintjeani n. sp., Gastropoda (86)
Scaphopoda: Oligocene, North Carolina (86)
Silurian: Agnatha, Canada (28); Anthozoa, Canada (108); Brachiopoda, Paraguay (9); Conodonta, New York and Canada (58); Polychaeta, New York (7), North America (67); Trilobita, Illinois and Tennessee (26), North America (67)
Siluro-Devonian: Porifera, Nevada (83)
Sinai: Alga, Cretaceous (62)
Solena (*Eosolen*) *hunickeni* n. sp., Bivalvia (43)
South Africa: Alga, Proterozoic (42)
South America: Trilobita, Devonian (69)
Spitsbergen: Microfossils, Proterozoic (59)
Streblochondria tiltoni n. sp., Bivalvia (17)
Stromatoporoidea: Devonian, New York (94); Paleozoic, Revision (92)
Switzerland: Ammonoidea, Cretaceous (23)
Syringopora minuta n. sp., Anthozoa (108)
Taphonomy: Conodonta, Permian (84), Microfossils, Proterozoic (59)
Tarphophragma karklinsi n. sp., Bryozoa (57)
Technique: SEM inverse imaging (76)
Tennessee: Dinosauria, Cretaceous (14); Trilobita, Silurian (26)
Terminology: Alga (97); Planktic, Nektic, Benthic (29)
Tethys: Gastropoda, Paleogene (39)
Tetracytherura bardarsoni n. sp., Ostracoda (22)
Tetrapoda: Pennsylvanian, West Virginia (71); Permian, Texas (95)
Texas: Conodonta, Permian (84); Conulariida, Permian (99); Equidae, Pliocene (6); Porifera, Permian (99); Pterosauria, Cretaceous (72); Tetrapoda, Permian (95)
Thaerocythere mayburyae n. sp., Ostracoda (22)
Thaerocythere whatleyi n. sp., Ostracoda (22)
Trilobita: Cambrian, Vermont (96); Devonian, North America (67), South America (69); Ordovician, Canada (98), Oklahoma (90); Permian, New Mexico (10); Silurian, Illinois and Tennessee (26)
Tunesia: Porifera, Permian (89)
Turricula (*Orthosurcula*) *aequa* n. sp., Gastropoda (86)
Turritella caelatura alani n. subsp., Gastropoda (86)
Turritella neusensis n. sp., Gastropoda (86)
Uluksanella n. gen., Microfossil (53)
Uluksanella baffinensis n. sp., Microfossil (53)
Utah: Amphibia, Carboniferous (18); Receptaculitidae, Ordovician (20)
Utaherpeton n. gen., Amphibia (18)
Utaherpeton franklini n. sp., Amphibia (18)
Venericardia (*Venericor*) *carrerensis* n. sp., Bivalvia (43)
Vermont: Biostratigraphy, Cambrian (96)
Washington: Insecta, Eocene (68); Mollusca, Eocene (91)
Western Interior: Bivalvia, Cretaceous (27)
West Virignia: Bivalvia, Mississippian (17); Tetrapoda, Pennsylvanian (71)
Worthenopora valmeyerensis n. sp., Bryozoa (47)
Wyoming: Rodentia, Oligocene (61)
Xenocephalites grantmackiei n. sp., Ammonoidea (102)
Yoldia (*Calorhadia*) *patagonia* n. sp., Bivalvia (43)